VOLUME 52 • AUTHOR INDEX

Abrahamson M *see* Huh C-G *et al*
Adams DH *see* Lalor PF and Adams DH
Alcock HE *et al*. A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
Allard U *see* Nayler SJ *et al*
Anderson NH *see* McManus DT *et al*
Andrew JG *see* Lawton DM *et al*

Baak JPA *see* de Jong JS *et al*
see Weiss MM *et al*
Bartkowiak J *see* Rieske P *et al*
Baumforth KRN *see* Wood AJ *et al*
Baumforth KRN *et al*. The Epstein-Barr virus and its association with human cancers: *review*, **307**
The polymerase chain reaction: *review*, **1**
Beavon IRG. Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review*, **179**
Benninger MS *see* Worsham MJ *et al*
Biddolph S *see* Kennedy MM *et al*
Bleavins MR *see* Shi MM *et al*
Blessing K *see* Sanders DSA *et al*
Böcker W *see* Frevel T *et al*
Bonetto S *see* Caldarelli-Stefano R *et al*
Book reviews Arrand JR, Harper DR, *editors*. Viruses and human cancer, **53**
Aslam M, Dent A, *editors*. Bioconjugation. Protein coupling techniques for the biomedical sciences, **305**
Bannasch P, *et al*, *editors*. Cell growth and oncogenesis, **164**
Cook DJ. Biomedical sciences explained—cellular pathology, **305**
Crispe, IN, *editor*. T lymphocytes in the liver, **306**
Herrington CS, O'Leary JJ. PCR3. PCR in situ hybridization: a practical approach, **305**
Hickman JA, *editor*. Apoptosis and cancer chemotherapy, **306**
Huhn, *editor*. New diagnostic methods in oncology and hematology, **360**
Jameson, JL, *editor*. Principles of molecular medicine, **164**
Kownaski E, Norgauer J, *editors*. Chemokines and the skin, **360**
Latchman D, *editor*. Basic molecular and cell biology, **52**
Martin JB, *editor*. Molecular neurology, **53**
Papavassiliou AG, *editor*. Transcription factors in eukaryotes, **52**
Rollins BJ, *editor*. Chemokines and cancer, **360**
Bovo D *et al*. Origin of spurious multiple bands in the amplification of microsatellite sequences, **50**
Braga VMM. Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review*, **197**
Brink AATP *see* Hayes DP *et al*
Brown NJ *see* Garbett EA *et al*
Brun S *see* Wood AJ *et al*
Bruton R *see* Sanders DSA *et al*
Busche G *see* Duensing S *et al*
Buttle DJ *see* Mort JS and Buttle DJ

Caldarelli-Stefano R *et al*. Use of magnetic beads for tissue DNA extraction and IS6110 *Mycobacterium tuberculosis* PCR, **158**
Carey TE *see* Worsham MJ *et al*
Cassell HS *see* Sayer DC *et al*
Chambers G *see* King G *et al*
Chetty R *see* Naidoo R and Chetty R
Chiu S-C *see* Hsieh H-F *et al*
Christiansen FT *see* Sayer DC *et al*
Clarke RA *see* Kairouz R *et al*
Conde AR *et al*. Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, **131**
Constandinou C *see* Baumforth KRN *et al*
Cook PJ *see* Palfrey D *et al*
Cooper K *see* Nayler SJ *et al*
Corden SA *et al*. The integration of HPV-18 DNA in cervical carcinoma, **275**
Costanzi G *see* Caldarelli-Stefano R *et al*
Croucher LJ, Hollander AP. Differential detection of type II collagen N-terminal and C-terminal denaturation epitopes in degrading cartilage, **323**

Debiec-Rychter M *see* Rieske P *et al*
de Jong JS *et al*. Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
de La Iglesia FA *see* Shi MM *et al*
Deng F *et al*. Hodgkin's disease: immunoglobulin heavy and light chain gene rearrangements revealed in single Hodgkin/Reed-Sternberg cells, **37**
Digby JE *see* Baumforth KRN *et al*
Diss TC *et al*. Parvovirus B19 is associated with benign testes as well as testicular germ cell tumours, **349**
Dockhorn-Dworniczak B *see* Frevel T *et al*
Du MQ *see* Diss TC *et al*
Duensing A *see* Duensing S *et al*
Duensing S *et al*. Molecular detection of c-mpl thrombopoietin receptor gene expression in chronic myeloproliferative disorders, **146**
Dunn R *see* Wood AJ *et al*

Easton AJ *see* Corden SA *et al*
see Randhawa JS and Easton AJ
Enomoto T *see* Mutter GL *et al*

Faquin WC *see* Mutter GL *et al*
Flavell JR *see* Wood AJ *et al*
Flavell KJ *see* Baumforth KRN *et al*
Fléjou J-F *et al*. p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, **263**
Fodstad Ø *see* Forus A *et al*
Forus A *et al*. Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, **68**
Freemont AJ *see* Lawton DM *et al*
Frevel T *et al*. PCR based detection of mycobacteria in paraffin wax embedded material routinely processed for morphological examination, **283**

Gaffney EF *see* O'Donovan M *et al*
Ganser A *see* Duensing S *et al*
Garbett EA *et al*. Proteolysis in colorectal cancer, **140**
Georgii A *see* Duensing S *et al*
Gillan JA *see* O'Donovan M *et al*
Goodison S *et al*. CD44 cell adhesion molecules: *review*, **189**
Grace RH *see* Wood AJ *et al*
Graham DY *see* Santos AC *et al*
Gratio V *see* Fléjou J-F *et al*
Gregersen N *see* Zhou X-G *et al*
Grubb A *see* Huh C-G *et al*

Håkansson K *see* Huh C-G *et al*
Hamelin R *see* Fléjou J-F *et al*
Hamilton-Dutoit SJ *see* Zhou X-G *et al*
Hammond DW *see* Alcock HE *et al*
Hardy R *see* Perry I *et al*
see Perry I *et al*
Harn H-J *see* Hsieh H-F *et al*
Harrison A *see* Wood AJ *et al*
Hassan GAR *see* Sanders DSA *et al*
Hayashi Y *et al*. Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review*, **19**
Hayes DP *et al*. Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, **97**
Hermsen MAJA *see* Weiss MM *et al*
Hine AV *see* Palfrey D *et al*
Ho JWY *et al*. Differential cytokine expression in EBV positive peripheral T cell lymphomas, **269**
Ho L-I *see* Hsieh H-F *et al*
Høifødt HK *see* Forus A *et al*
Holland MR *see* Wood AJ *et al*
Hollander AP *see* Croucher LJ and Hollander AP
Howells DD *see* Kennedy MM *et al*
Hoyland JA *see* Lawton DM *et al*
Hsieh H-F *et al*. Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review*, **25**
Hu YC *et al*. Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**
Huh C-G *et al*. Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, **332**
Humphreys MW *see* McManus DT *et al*

Igarashi H *see* Kitayama Y *et al*
Iredale JP. Gene knockouts: *review*, **111**
Itoh H *see* Hayashi Y *et al*

Jacobs AG *see* Wood AJ *et al*
Jankowski J *see* Perry I *et al*
see Sanders DSA *et al*
Jankowski JA *see* Perry I *et al*
Jankowski JA. Foreword, **165**
Jones JL, Walker RA. Integrins: a role as cell signalling molecules: *review*, **208**
Jones T *see* Perry I *et al*
Jonsson N *see* Huh C-G *et al*

Kairouz R *et al*. ATM protein synthesis patterns in sporadic breast cancer, **252**
Karlsson S *see* Huh C-G *et al*

VOLUME 52 • AUTHOR INDEX

Abrahamson M *see* Huh C-G *et al*
Adams DH *see* Lalor PF and Adams DH
Alcock HE *et al*. A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
Allard U *see* Nayler SJ *et al*
Anderson NH *see* McManus DT *et al*
Andrew JG *see* Lawton DM *et al*

Baak JPA *see* de Jong JS *et al*
see Weiss MM *et al*
Bartkowiak J *see* Rieske P *et al*
Baumforth KRN *see* Wood AJ *et al*
Baumforth KRN *et al*. The Epstein-Barr virus and its association with human cancers: *review*, **307**
The polymerase chain reaction: *review*, **1**
Beavon IRG. Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review*, **179**
Benninger MS *see* Worsham MJ *et al*
Biddolph S *see* Kennedy MM *et al*
Bleavins MR *see* Shi MM *et al*
Blessing K *see* Sanders DSA *et al*
Böcker W *see* Frevel T *et al*
Bonetto S *see* Caldarelli-Stefano R *et al*
Book reviews Arrand JR, Harper DR, *editors*. Viruses and human cancer, **53**
Aslam M, Dent A, *editors*. Bioconjugation. Protein coupling techniques for the biomedical sciences, **305**
Bannasch P, *et al*, *editors*. Cell growth and oncogenesis, **164**
Cook DJ. Biomedical sciences explained—cellular pathology, **305**
Crispe, IN, *editor*. T lymphocytes in the liver, **306**
Herrington CS, O'Leary JJ. PCR3. PCR in situ hybridization: a practical approach, **305**
Hickman JA, *editor*. Apoptosis and cancer chemotherapy, **306**
Huhn, *editor*. New diagnostic methods in oncology and hematology, **360**
Jameson, JL, *editor*. Principles of molecular medicine, **164**
Kownaski E, Norgauer J, *editors*. Chemokines and the skin, **360**
Latchman D, *editor*. Basic molecular and cell biology, **52**
Martin JB, *editor*. Molecular neurology, **53**
Papavassiliou AG, *editor*. Transcription factors in eukaryotes, **52**
Rollins BJ, *editor*. Chemokines and cancer, **360**
Bovo D *et al*. Origin of spurious multiple bands in the amplification of microsatellite sequences, **50**
Braga VMM. Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review*, **197**
Brink AATP *see* Hayes DP *et al*
Brown NJ *see* Garbett EA *et al*
Brun S *see* Wood AJ *et al*
Bruton R *see* Sanders DSA *et al*
Busche G *see* Duensing S *et al*
Buttle DJ *see* Mort JS and Buttle DJ

Caldarelli-Stefano R *et al*. Use of magnetic beads for tissue DNA extraction and IS6110 *Mycobacterium tuberculosis* PCR, **158**
Carey TE *see* Worsham MJ *et al*
Cassell HS *see* Sayer DC *et al*
Chambers G *see* King G *et al*
Chetty R *see* Naidoo R and Chetty R
Chiu S-C *see* Hsieh H-F *et al*
Christiansen FT *see* Sayer DC *et al*
Clarke RA *see* Kairouz R *et al*
Conde AR *et al*. Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, **131**
Constandinou C *see* Baumforth KRN *et al*
Cook PJ *see* Palfrey D *et al*
Cooper K *see* Nayler SJ *et al*
Corden SA *et al*. The integration of HPV-18 DNA in cervical carcinoma, **275**
Costanzi G *see* Caldarelli-Stefano R *et al*
Croucher LJ, Hollander AP. Differential detection of type II collagen N-terminal and C-terminal denaturation epitopes in degrading cartilage, **323**

Debiec-Rychter M *see* Rieske P *et al*
de Jong JS *et al*. Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
de La Iglesia FA *see* Shi MM *et al*
Deng F *et al*. Hodgkin's disease: immunoglobulin heavy and light chain gene rearrangements revealed in single Hodgkin/Reed-Sternberg cells, **37**
Digby JE *see* Baumforth KRN *et al*
Diss TC *et al*. Parvovirus B19 is associated with benign testes as well as testicular germ cell tumours, **349**
Dockhorn-Dworniczak B *see* Frevel T *et al*
Du MQ *see* Diss TC *et al*
Duensing A *see* Duensing S *et al*
Duensing S *et al*. Molecular detection of c-mpl thrombopoietin receptor gene expression in chronic myeloproliferative disorders, **146**
Dunn R *see* Wood AJ *et al*

Easton AJ *see* Corden SA *et al*
see Randhawa JS and Easton AJ
Enomoto T *see* Mutter GL *et al*

Faquin WC *see* Mutter GL *et al*
Flavell JR *see* Wood AJ *et al*
Flavell KJ *see* Baumforth KRN *et al*
Fléjou J-F *et al*. p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, **263**
Fodstad Ø *see* Forus A *et al*
Forus A *et al*. Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, **68**
Freemont AJ *see* Lawton DM *et al*
Frevel T *et al*. PCR based detection of mycobacteria in paraffin wax embedded material routinely processed for morphological examination, **283**

Gaffney EF *see* O'Donovan M *et al*
Ganser A *see* Duensing S *et al*
Garbett EA *et al*. Proteolysis in colorectal cancer, **140**
Georgii A *see* Duensing S *et al*
Gillan JA *see* O'Donovan M *et al*
Goodison S *et al*. CD44 cell adhesion molecules: *review*, **189**
Grace RH *see* Wood AJ *et al*
Graham DY *see* Santos AC *et al*
Gratio V *see* Fléjou J-F *et al*
Gregersen N *see* Zhou X-G *et al*
Grubb A *see* Huh C-G *et al*

Håkansson K *see* Huh C-G *et al*
Hamelin R *see* Fléjou J-F *et al*
Hamilton-Dutoit SJ *see* Zhou X-G *et al*
Hammond DW *see* Alcock HE *et al*
Hardy R *see* Perry I *et al*
see Perry I *et al*
Harn H-J *see* Hsieh H-F *et al*
Harrison A *see* Wood AJ *et al*
Hassan GAR *see* Sanders DSA *et al*
Hayashi Y *et al*. Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review*, **19**
Hayes DP *et al*. Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, **97**
Hermsen MAJA *see* Weiss MM *et al*
Hine AV *see* Palfrey D *et al*
Ho JWY *et al*. Differential cytokine expression in EBV positive peripheral T cell lymphomas, **269**
Ho L-I *see* Hsieh H-F *et al*
Høifødt HK *see* Forus A *et al*
Holland MR *see* Wood AJ *et al*
Hollander AP *see* Croucher LJ and Hollander AP
Howells DD *see* Kennedy MM *et al*
Hoyland JA *see* Lawton DM *et al*
Hsieh H-F *et al*. Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review*, **25**
Hu YC *et al*. Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**
Huh C-G *et al*. Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, **332**
Humphreys MW *see* McManus DT *et al*

Igarashi H *see* Kitayama Y *et al*
Iredale JP. Gene knockouts: *review*, **111**
Itoh H *see* Hayashi Y *et al*

Jacobs AG *see* Wood AJ *et al*
Jankowski J *see* Perry I *et al*
see Sanders DSA *et al*
Jankowski JA *see* Perry I *et al*
Jankowski JA. Foreword, **165**
Jones JL, Walker RA. Integrins: a role as cell signalling molecules: *review*, **208**
Jones T *see* Perry I *et al*
Jonsson N *see* Huh C-G *et al*

Kairouz R *et al*. ATM protein synthesis patterns in sporadic breast cancer, **252**
Karlsson S *see* Huh C-G *et al*

Kearsley JH *see* Kairouz R *et al*
Kennedy MM *et al*. CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, **32**
Kerr JR *see* Diss TC *et al*
Kerr JR. Cell adhesion molecules in the pathogenesis of and host defence against microbial infection: *review*, **220**
Kerr MA *see* Sanders DSA and Kerr MA
Kilshaw PJ. Alpha E beta 7: *review*, **203**
King G *et al*. Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, **47**
Kitayama Y *et al*. Amplification of FISH signals using intermittent microwave irradiation for analysis of chromosomal instability in gastric cancer, **357**
Kreft A *see* Duensing S *et al*
Kuipers EJ *see* Weiss MM *et al*

Lalor PF, Adams DH. Adhesion of lymphocytes to hepatic endothelium: *review*, **214**
Lam KY *see* Hu YC *et al*
Lampert IA. The synthesis of Bcl-2 and other proteins in the neoplastic follicles of follicular lymphoma: *review*, **29**
Lavin MF *see* Kairouz R *et al*
Lawler MP *see* O'Donovan M *et al*
Lawton DM *et al*. Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, **92**
Lee CS *see* Kairouz R *et al*
Li G *see* Deng F *et al*
Liang RHS *see* Ho JWY *et al*
Lip GYH *see* Palfrey D *et al*
Lorand-Metze I *see* Metze K and Lorand-Metze I
Lu G *see* Deng F *et al*
Lucas SB *see* Kennedy MM *et al*

Macdonald F *see* Wallis YL and Macdonald F
McFadyen MCE *et al*. Cytochrome P450 CYP 1B1 mRNA in normal human brain: *letter*, **164**
McGee JO'D *see* Kennedy MM *et al*
McManus DT *et al*. Fluorescence in situ hybridisation detection of erbB2 amplification in breast cancer fine needle aspirates, **75**
Marr PJ *see* Kairouz R *et al*
Marsden JR *see* Sanders DSA *et al*
Marsh DR *see* Lawton DM *et al*
Martins G *see* Conde AR *et al*
Maxwell P *see* McManus DT *et al*
Meijer CJLM *see* Hayes DP *et al*
Meijer GA *see* Weiss MM *et al*
Melvin WT *see* McFadyen MCE *et al*
Meran JG *see* Duensing S *et al*
Metze K, Lorand-Metze I. Age related decrease of AgNOR activity in acute and chronic lymphocytic leukaemias: *letter*, **52**
Michalides RJAM *see* de Jong JS *et al*
Middeldorp JM *see* Hayes DP *et al*
Monteiro C *see* Conde AR *et al*
Morris AG *see* Corden SA *et al*
Mort JS, Buttle DJ. The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review*, **11**
Murray GI *see* King G *et al*
see McFadyen MCE *et al*
Murray PG *see* Baumforth KRN *et al*
see Baumforth KRN *et al*
see Wood AJ *et al*
Mutter GL *et al*. K-ras mutations appear in the premalignant phase of both microsatellite stable and unstable endometrial carcinogenesis, **257**
Muzeau F *see* Fléjou J-F *et al*
Myklebost O *see* Forus A *et al*
Myrand SP *see* Shi MM *et al*

Nagano H *see* Hayashi Y *et al*
Naidoo R, Chetty R. DNA repair gene status in oesophageal cancer: *review*, **125**
Nathanson C-M *see* Huh C-G *et al*
Näthke IS. The adenomatous polyposis coli protein: *review*, **169**
Nayler SJ *et al*. HHV-8 (KSHV) is not associated with bacillary angiomatosis, **345**
Nebuloni M *see* Caldarelli-Stefano R *et al*
Nelson PN *see* Baumforth KRN *et al*
Ninomiya T *see* Hayashi Y *et al*

O'Donovan M *et al*. Abl expression, tumour grade, and apoptosis in chondrosarcoma, **341**
Ohta K *see* Hayashi Y *et al*
O'Leary JJ *see* Kennedy MM *et al*
see O'Donovan M *et al*
O'Neil JD *see* Baumforth KRN *et al*
Øverli GET *see* Forus A *et al*

Palfrey D *et al*. Simplified preparation of human arterial sections for PCR analysis of *Chlamydia pneumoniae* and human DNA, **289**
Pan LX *see* Diss TC *et al*
Patterson AH *see* McManus DT *et al*
Peng HZ *see* Diss TC *et al*
Perbal B. Nuclear localisation of NOVH protein: a potential role for NOV in the regulation of gene expression, **84**
Perry I *et al*. A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, **231**
Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
Picton S *see* Kennedy MM *et al*
Plessis N *see* Wood AJ *et al*

Randhawa JS, Easton AJ. DNA nucleotide sequencing: *review*, **117**
Reed MWR *see* Garbett EA *et al*
Rieder C *see* McFadyen MCE *et al*
Rieske P *et al*. Malignant fibrous histiocytomas and H-ras-1 oncogene point mutations, **64**
Royds JA *see* Alcock HE *et al*
Rueff J *see* Conde AR *et al*
Rugge M *see* Bovo D *et al*
Russell JM *see* O'Donovan M *et al*

Sanders DSA, Kerr MA. Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review*, **174**
Sanders DSA *et al*. Alterations in cadherin and catenin expression during the biological progression of melanocytic tumours, **151**
Sandvej K *see* Zhou X-G *et al*
Sant-Cassia LJ *see* Corden SA *et al*
Santos AC *et al*. Variability in the interpretation of microsatellite patterns with different electrophoretic conditions, **302**
Saraiva C *see* Conde AR *et al*
Sayer DC *et al*. HLA-B*27 typing by sequence specific amplification without DNA extraction, **300**
Schäfer KL *see* Frevel T *et al*
Scott KWM *see* Wood AJ *et al*
Sepulveda AR *see* Santos AC *et al*
Shi MM *et al*. High throughput genotyping for the detection of a single nucleotide polymorphism in NAD(P)H quinone oxidoreductase (DT diaphorase) using TaqMan probes, **295**
Shiao Y-H *see* Bovo D *et al*
Smythe JA *see* Palfrey D *et al*
Srivastava G *see* Ho JWY *et al*
see Hu YC *et al*
Stephenson TJ *see* Alcock HE *et al*
Sugimura H *see* Kitayama Y *et al*
Szadowska A *see* Rieske P *et al*

Tang JCO *see* Hu YC *et al*
Tarin D *see* Goodison S *et al*
Taylor L *see* Nayler SJ *et al*
Thomas CM *see* Wood AJ *et al*
Thorgeirsson UP *see* Huh C-G *et al*
Tötsch M *see* Frevel T *et al*
Tselepis C *see* Perry I *et al*

Urquidi V *see* Goodison S *et al*

Vago L *see* Caldarelli-Stefano R *et al*
van den Brule AJC *see* Hayes DP *et al*
van Diest PJ *see* de Jong JS *et al*
see Weiss MM *et al*
Van Dyke DL *see* Worsham MJ *et al*
van Grieken NCT *see* Weiss MM *et al*
Vervoort MBHJ *see* Hayes DP *et al*

Wada H *see* Mutter GL *et al*
Walker RA *see* Jones JL and Walker RA
Wallis YL, Macdonald F. Oncogenes: *review*, **55**
Wang W *see* Hayashi Y *et al*
Watters D *see* Kairouz R *et al*
Weiss MM *et al*. Comparative genomic hybridisation: *review*, **243**
Williams JG *see* Wood AJ *et al*
Wolman SR *see* Worsham MJ *et al*
Wood AJ *et al*. Absence of prolactin gene expression in colorectal cancer, **135**
Worsham MJ *et al*. Chromosomal aberrations identified in culture of squamous carcinomas are confirmed by fluorescence in situ hybridisation, **42**

Yamaoka Y *see* Santos AC *et al*
Yang G *see* Deng F *et al*
Young LS *see* Baumforth KRN *et al*
Yu J-C *see* Hsieh H-F *et al*

Zarbo RJ *see* Worsham MJ *et al*
Zhou X-G *et al*. Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, **104**

VOLUME 52 • SUBJECT INDEX

abl gene expression, Abl expression, tumour grade, and apoptosis in chondrosarcoma, **341**
adenomatous polyposis coli, Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
adenomatous polyposis coli gene, The adenomatous polyposis coli protein: *review*, **169**
adhesion, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review*, **174**
age, Age related decrease of AgNOR activity in acute and chronic lymphocytic leukaemias: *letter*, **52**
aggregan, The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review*, **11**
alternative splicing, CD44 cell adhesion molecules: *review*, **189**
ankylosing spondylitis, HLA-B*27 typing by sequence specific amplification without DNA extraction, **300**
apoptosis, Abl expression, tumour grade, and apoptosis in chondrosarcoma, **341**
Integrins: a role as cell signalling molecules: *review*, **208**
Oncogenes: *review*, **55**
ATM gene, ATM protein synthesis patterns in sporadic breast cancer, **252**

B cell clonality, Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, **104**
bacillary angiomatosis, HHV-8 (KSHV) is not associated with bacillary angiomatosis, **345**
bcl-2, Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, **97**
The synthesis of Bcl-2 and other proteins in the neoplastic follicles of follicular lymphoma: *review*, **29**
biotinylated tyramine, Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, **47**
bone marrow aspirates, Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, **68**
brain, Cytochrome P450 CYP 1B1 mRNA in normal human brain: *letter*, **164**
breast cancer, Fluorescence in situ hybridisation detection of erbB2 amplification in breast cancer fine needle aspirates, **75**
Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, **68**
breast carcinoma, ATM protein synthesis patterns in sporadic breast cancer, **252**
Burkitt's lymphoma, The Epstein-Barr virus and its association with human cancers: *review*, **307**

cadherin, Alterations in cadherin and catenin expression during the biological progression of melanocytic tumours, **151**
Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
cadherins, Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review*, **197**
cancer, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, **231**
Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
Integrins: a role as cell signalling molecules: *review*, **208**
Oncogenes: *review*, **55**
carcinoembryonic antigen, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review*, **174**
carcinoma, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review*, **174**
cardia, p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, **263**
cartilage, Differential detection of type II collagen N-terminal and C-terminal denaturation epitopes in degrading cartilage, **323**
catalysed signal deposition, Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, **47**
catenin, Alterations in cadherin and catenin expression during the biological progression of melanocytic tumours, **151**
Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
catenins, Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review*, **197**
CCAAT/enhancer binding protein, Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review*, **19**
CD40, CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, **32**
CD44, Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review*, **25**
CD44 structure, CD44 cell adhesion molecules: *review*, **189**
cell adhesion, Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review*, **179**
cell adhesion molecules, Cell adhesion molecules in the pathogenesis of and host defence against microbial infection: *review*, **220**
cell culture, Chromosomal aberrations identified in culture of squamous carcinomas are confirmed by fluorescence in situ hybridisation, **42**
cell signalling, Alpha E beta 7: *review*, **203**
cell–cell adhesion, Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review*, **197**
cellular signals, Nuclear localisation of NOVH protein: a potential role for NOV in the regulation of gene expression, **84**
cervical carcinoma, The integration of HPV-18 DNA in cervical carcinoma, **275**
chain termination method of DNA sequencing, DNA nucleotide sequencing: *review*, **117**
chemical degradation method of DNA sequencing, DNA nucleotide sequencing: *review*, **117**
chemokines, Adhesion of lymphocytes to hepatic endothelium: *review*, **214**
Chlamydia pneumoniae, Simplified preparation of human arterial sections for PCR analysis of *Chlamydia pneumoniae* and human DNA, **289**
chondrosarcoma, Abl expression, tumour grade, and apoptosis in chondrosarcoma, **341**
chronic inflammation, Adhesion of lymphocytes to hepatic endothelium: *review*, **214**
chronic myeloproliferative disorders, Molecular detection of c-mpl thrombopoietin receptor gene expression in chronic myeloproliferative disorders, **146**
cleavage site specific antibodies, The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review*, **11**
c-Mpl thrombopoietin receptor, Molecular detection of c-mpl thrombopoietin receptor gene expression in chronic myeloproliferative disorders, **146**
collagen, The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review*, **11**
colorectal, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, **231**
colorectal cancer, Absence of prolactin gene expression in colorectal cancer, **135**
Proteolysis in colorectal cancer, **140**
The adenomatous polyposis coli protein: *review*, **169**
comparative genomic hybridisation, A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
Comparative genomic hybridisation: *review*, **243**
conditional gene targeting, Gene knockouts: *review*, **111**
crypt, Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review*, **166**
cyclin B1, Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, **97**
cyclin D1, Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
cystatin C, Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, **332**
cysteine protease inhibitor, Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, **332**
cytochrome P450, Cytochrome P450 CYP 1B1 mRNA in normal human brain: *letter*, **164**
cytokines, Differential cytokine expression in EBV positive peripheral T cell lymphomas, **269**

D binding protein, Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review*, **19**
denaturation, Differential detection of type II collagen N-terminal and C-terminal denaturation epitopes in degrading cartilage, **323**
differentiation, Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
Integrins: a role as cell signalling molecules: *review*, **208**
DNA extraction for *Mycobacterium tuberculosis*, Use of magnetic beads for tissue DNA extraction and IS6110 *Mycobacterium tuberculosis* PCR, **158**

DNA nucleotide sequencing, DNA nucleotide sequencing: *review,* 117
DNA repair genes, DNA repair gene status in oesophageal cancer: *review,* 125

E-cadherin, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, 231
Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review,* 179
αEβ7 integrin, Alpha E beta 7: *review,* 203
electrophoresis, Variability in the interpretation of microsatellite patterns with different electrophoretic conditions, 302
endometrial carcinoma, K-ras mutations appear in the premalignant phase of both microsatellite stable and unstable endometrial carcinogenesis, 257
endometrial hyperplasia, K-ras mutations appear in the premalignant phase of both microsatellite stable and unstable endometrial carcinogenesis, 257
Epstein-Barr virus, Differential cytokine expression in EBV positive peripheral T cell lymphomas, 269
The Epstein-Barr virus and its association with human cancers: *review,* 307
Epstein-Barr virus associated diseases, Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, 97
erbB2, Fluorescence in situ hybridisation detection of erbB2 amplification in breast cancer fine needle aspirates, 75
Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, 68

familial polyposis, The adenomatous polyposis coli protein: *review,* 169
fine needle aspirates, Fluorescence in situ hybridisation detection of erbB2 amplification in breast cancer fine needle aspirates, 75
fluorescence in situ hybridisation, Amplification of FISH signals using intermittent microwave irradiation for analysis of chromosomal instability in gastric cancer, 357
Chromosomal aberrations identified in culture of squamous carcinomas are confirmed by fluorescence in situ hybridisation, 42
Fluorescence in situ hybridisation detection of erbB2 amplification in breast cancer fine needle aspirates, 75
Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, 68
follicular lymphoma, The synthesis of Bcl-2 and other proteins in the neoplastic follicles of follicular lymphoma: *review,* 29
fracture non-union, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, 92

gastric cancer, Amplification of FISH signals using intermittent microwave irradiation for analysis of chromosomal instability in gastric cancer, 357
Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, 131
Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review,* 25
p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, 263
gene knockouts, Gene knockouts: *review,* 111
GENESCAN, Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, 104
genomic instability, Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, 131
genotyping, High throughput genotyping for the detection of a single nucleotide polymorphism in NAD(P)H quinone oxidoreductase (DT diaphorase) using TaqMan probes, 295
GSTM1, Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, 131

HCA-7 cell line, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, 231
hepatic nuclear factors, Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review,* 19
HLA-B*27, HLA-B*27 typing by sequence specific amplification without DNA extraction, 300
Hodgkin and Reed-Sternberg cells, Hodgkin's disease: immunoglobulin heavy and light chain gene rearrangements revealed in single Hodgkin/Reed-Sternberg cells, 37
Hodgkin's disease, Hodgkin's disease: immunoglobulin heavy and light chain gene rearrangements revealed in single Hodgkin/Reed-Sternberg cells, 37
The Epstein-Barr virus and its association with human cancers: *review,* 307
homologous recombination, Gene knockouts: *review,* 111
host defence, Cell adhesion molecules in the pathogenesis of and host defence against microbial infection: *review,* 220
H-ras-1 oncogene, Malignant fibrous histiocytomas and H-ras-1 oncogene point mutations, 64
human herpesvirus 8, CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, 32
HHV-8 (KSHV) is not associated with bacillary angiomatosis, 345
human papillomavirus type 18 (HPV-18), The integration of HPV-18 DNA in cervical carcinoma, 275
hyaluronic acid, CD44 cell adhesion molecules: *review,* 189
hypoxia, Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review,* 179

immunoglobulin gene rearrangements, Hodgkin's disease: immunoglobulin heavy and light chain gene rearrangements revealed in single Hodgkin/Reed-Sternberg cells, 37
immunohistochemistry, Absence of prolactin gene expression in colorectal cancer, 135
CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, 32
in situ hybridisation, Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, 47
Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, 92
inflammatory diseases, Alpha E beta 7: *review,* 203
int2, Sensitive fluorescent in situ hybridisation method for the characterisation of breast cancer cells in bone marrow aspirates, 68
integration, The integration of HPV-18 DNA in cervical carcinoma, 275
integrin signalling, Integrins: a role as cell signalling molecules: *review,* 208
interleukin 10, Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, 97
intercellular cell adhesion molecule 1, Expression of Epstein-Barr virus (EBV) transcripts encoding homologues to important human proteins in diverse EBV associated diseases, 97
interpretation, Variability in the interpretation of microsatellite patterns with different electrophoretic conditions, 302
invasion, Integrins: a role as cell signalling molecules: *review,* 208
isoform, Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review,* 25

Kaposi's sarcoma, CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, 32
HHV-8 (KSHV) is not associated with bacillary angiomatosis, 345
karyotypic aberrations, Chromosomal aberrations identified in culture of squamous carcinomas are confirmed by fluorescence in situ hybridisation, 42
knockout mouse, Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, 332
K-ras, K-ras mutations appear in the premalignant phase of both microsatellite stable and unstable endometrial carcinogenesis, 257

leukaemia, Age related decrease of AgNOR activity in acute and chronic lymphocytic leukaemias: *letter,* 52
Lewis, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review,* 174
light chain immunoglobulin mRNA, Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, 47
liver, Adhesion of lymphocytes to hepatic endothelium: *review,* 214
liver enriched transcription factor, Liver enriched transcription factors and differentiation of hepatocellular carcinoma: *review,* 19
lymphocyte recruitment, Adhesion of lymphocytes to hepatic endothelium: *review,* 214
lymphoma, Detection of immunoglobulin light chain mRNA by in situ hybridisation using biotinylated tyramine signal amplification, 47

magnetic beads, Use of magnetic beads for tissue DNA extraction and IS6110 *Mycobacterium tuberculosis* PCR, 158
malignant fibrous histiocytoma, Malignant fibrous histiocytomas and H-ras-1 oncogene point mutations, 64
matrix gla protein, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, 92
matrix metalloproteinases, Integrins: a role as cell signalling molecules: *review,* 208
megakaryopoiesis, Molecular detection of c-mpl thrombopoietin receptor gene expression in chronic myeloproliferative disorders, 146
melanoma, Alterations in cadherin and catenin expression during the biological progression of melanocytic tumours, 151
metaplasia, Cadherin adhesion in the intestinal crypt regulates morphogenesis, mitogenesis, motogenesis, and metaplasia formation: *review,* 166
metastases, ATM protein synthesis patterns in sporadic breast cancer, 252
metastasis, Decreased metastatic spread in mice homozygous for a null allele of the cystatin C protease inhibitor gene, 332
Molecular studies into the role of CD44 variants in metastasis in gastric cancer: *review,* 25
Proteolysis in colorectal cancer, 140
methodology, Comparative genomic hybridisation: *review,* 243

microbial infection, Cell adhesion molecules in the pathogenesis of and host defence against microbial infection: *review,* **220**
microdissection, A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
microsatellite, Origin of spurious multiple bands in the amplification of microsatellite sequences, **50**
microsatellite instability, DNA repair gene status in oesophageal cancer: *review,* **125**
Variability in the interpretation of microsatellite patterns with different electrophoretic conditions, **302**
microwave irradiation, Amplification of FISH signals using intermittent microwave irradiation for analysis of chromosomal instability in gastric cancer, **357**
mRNA, Cytochrome P450 CYP 1B1 mRNA in normal human brain: *letter,* **164**
multiple bands, Origin of spurious multiple bands in the amplification of microsatellite sequences, **50**
murine embryonic stem cells, Gene knockouts: *review,* **111**
mutation, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, **231**
Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**
mycobacteria, PCR based detection of mycobacteria in paraffin wax embedded material routinely processed for morphological examination, **283**

NAD(P)H quinone oxidoreductase, High throughput genotyping for the detection of a single nucleotide polymorphism in NAD(P)H quinone oxidoreductase (DT diaphorase) using TaqMan probes, **295**
nasopharyngeal carcinoma, The Epstein-Barr virus and its association with human cancers: *review,* **307**
neoplasia, CD44 cell adhesion molecules: *review,* **189**
nov gene, Nuclear localisation of NOVH protein: a potential role for NOV in the regulation of gene expression, **84**

oesophageal cancer, DNA repair gene status in oesophageal cancer: *review,* **125**
oesophageal carcinoma, Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**
oncogenes, Oncogenes: *review,* **55**
optimisation, The polymerase chain reaction: *review,* **1**
osteoblast, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, **92**
osteonectin, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, **92**
osteopontin, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, **92**

p21, Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
p53 gene, Association of p53 genomic instability with the glutathione S-transferase null genotype in gastric cancer in the Portuguese population, **131**
p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, **263**
p53 protein, p53 abnormalities in adenocarcinoma of the gastric cardia and antrum, **263**
paraffin wax embedded immunohistochemically stained material, A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
paraffin wax embedded material, Comparative genomic hybridisation: *review,* **243**
PCR based detection of mycobacteria in paraffin wax embedded material routinely processed for morphological examination, **283**
Use of magnetic beads for tissue DNA extraction and IS6110 *Mycobacterium tuberculosis* PCR, **158**
paraffin wax embedded section microdissection, Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, **104**
parvovirus B19, Parvovirus B19 is associated with benign testes as well as testicular germ cell tumours, **349**
peripheral T cell lymphomas, Differential cytokine expression in EBV positive peripheral T cell lymphomas, **269**
polymerase chain reaction, A simple method for PCR based analyses of immunohistochemically stained, microdissected, formalin fixed, paraffin wax embedded material, **160**
Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, **104**
HHV-8 (KSHV) is not associated with bacillary angiomatosis, **345**
PCR based detection of mycobacteria in paraffin wax embedded material routinely processed for morphological examination, **283**
Simplified preparation of human arterial sections for PCR analysis of *Chlamydia pneumoniae* and human DNA, **289**
The polymerase chain reaction: *review,* **1**
polymerase chain reaction artifact, Origin of spurious multiple bands in the amplification of microsatellite sequences, **50**
polymerase chain reaction single strand conformational polymorphism analysis, Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**
post-transplant lymphoproliferative disease, The Epstein-Barr virus and its association with human cancers: *review,* **307**
prolactin, Absence of prolactin gene expression in colorectal cancer, **135**
proliferation, Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas, **78**
Integrins: a role as cell signalling molecules: *review,* **208**
protein synthesis, The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review,* **11**
proteolysis, Proteolysis in colorectal cancer, **140**
The use of cleavage site specific antibodies to delineate protein processing and breakdown pathways: *review,* **11**
protocol, Comparative genomic hybridisation: *review,* **243**
proto-oncogene, The synthesis of Bcl-2 and other proteins in the neoplastic follicles of follicular lymphoma: *review,* **29**
PTEN/MMAC1, Mutational analysis of the PTEN/MMAC1 gene in primary oesophageal squamous cell carcinomas, **353**

reactive lymphoproliferation, Detection of clonal B cells in microdissected reactive lymphoproliferations: possible diagnostic pitfalls in PCR analysis of immunoglobulin heavy chain gene rearrangement, **104**
restriction fragments length polymorphism, Malignant fibrous histiocytomas and H-ras-1 oncogene point mutations, **64**
reverse transcriptase polymerase chain reaction, The polymerase chain reaction: *review,* **1**
RNA polymerase II, Nuclear localisation of NOVH protein: a potential role for NOV in the regulation of gene expression, **84**

sample preparation, Simplified preparation of human arterial sections for PCR analysis of *Chlamydia pneumoniae* and human DNA, **289**
sequence specific primers, HLA-B*27 typing by sequence specific amplification without DNA extraction, **300**
sialyl Lewis^x, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review,* **174**
silver stained nucleolar organiser regions, Age related decrease of AgNOR activity in acute and chronic lymphocytic leukaemias: *letter,* **52**
small GTPases, Small GTPases and regulation of cadherin dependent cell–cell adhesion: *review,* **197**
Southern analysis, The integration of HPV-18 DNA in cervical carcinoma, **275**
squamous, Lewis blood group and CEA related antigens; coexpressed cell–cell adhesion molecules with roles in the biological progression and dissemination of tumours: *review,* **174**
squamous cell carcinoma, Chromosomal aberrations identified in culture of squamous carcinomas are confirmed by fluorescence in situ hybridisation, **42**

T cell lymphoma, The Epstein-Barr virus and its association with human cancers: *review,* **307**
T cells, Alpha E beta 7: *review,* **203**
(t14;18) translocation The synthesis of Bcl-2 and other proteins in the neoplastic follicles of follicular lymphoma: *review,* **29**
TaqMan, High throughput genotyping for the detection of a single nucleotide polymorphism in NAD(P)H quinone oxidoreductase (DT diaphorase) using TaqMan probes, **295**
TaqMan polymerase chain reaction, CD40 upregulation is independent of HHV-8 in the pathogenesis of Kaposi's sarcoma, **32**
testicular germ cell tumours, Parvovirus B19 is associated with benign testes as well as testicular germ cell tumours, **349**
transitions, A colorectal cell line with alterations in E-cadherin and epithelial biology may be an in vitro model of colitis, **231**
tumorigenesis, Oncogenes: *review,* **55**
tumour aetiology, Parvovirus B19 is associated with benign testes as well as testicular germ cell tumours, **349**
tumour necrosis, Regulation of E-cadherin: does hypoxia initiate the metastatic cascade?: *review,* **179**
tumour suppressor, ATM protein synthesis patterns in sporadic breast cancer, **252**
type II collagen, Differential detection of type II collagen N-terminal and C-terminal denaturation epitopes in degrading cartilage, **323**

viruses, Oncogenes: *review,* **55**

whole blood, HLA-B*27 typing by sequence specific amplification without DNA extraction, **300**
Wnt signalling pathway, The adenomatous polyposis coli protein: *review,* **169**
woven bone, Expression of the gene encoding the matrix gla protein by mature osteoblasts in human fracture non-unions, **92**